DAMMINIX® A TICK TOXICANT As an aid in the control of ticks (that may carry Lyme Disease) that infest mice and nests of mice found around yards, play areas, parks, brush, paths, and in woodlands.

ACTIVE INGREDIENT: Permethrin\* 7.4% INFRT INGREDIENTS: 92.6%

Total 100.0%

\* Cis/trans ratio: Min. 35% (+/-) cis and max. 65% (+/-) trans.

EPA Reg. No. 56783-1

EPA Est. No. 5693 MA1

KEEP OUT OF REACH OF CHILDREN

# CAUTION

## FIRST AID

If Swallowed	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> </ul>
	<ul> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If on skin or clothing	Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Hove the product container or label with you when colling a paicen central	

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may call 1-800-222-1222 for emergency medical treatment information.

### PRECAUTIONARY STATEMENTS

CAUTION: Harmful if swallowed. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR OUTDOOR APPLICATION ONLY. For the reduction of ticks associated with the mic e that serve as reservoirs for pathogens causing Lyme disease and babesiosis. Ticks feeding on these animals become infected and may transmit disease to humans, dogs, and horses.

For best results, place tubes flat on the ground in all brush-covered and wooded areas to be treated. The maximum distance between tubes should not exceed 10 yards in any direction. Treatment should be limited to areas inhabited by mice, and need not include mown lawns or open grasslands. Tubes should be positioned so that mice have access to the open ends. Product works best if not covered by leaves or other material.

FOR TREATMENT AROUND YARDS: Place tubes within 1 yard of the edge of mown lawn, in flower gardens, under bushes and along fences, wherever mice may reside. For complete coverage, all brush-covered or wooded areas within 50 yards surrounding the yard area to be protected should be treated.

FOR TREATMENT OF WOODLOTS: Tubes should be placed in a contiguous array (such as a grid design), with no more than 10 yards between tubes in any direction. For complete coverage, apply tubes up to the brush-covered edge surrounding the woodlot. Tubes placed near thickets or rotting logs within the woodlot will be more effective than those placed in more open woodland terrain.

Tubes may be applied anytime between April 1 and mid-September, but should be applied at least twice a year. For best results, apply just prior to the feeding activity periods for nymphal (May-June) and larval (August-September) ticks. Tubes may also be replaced when nesting material is completely removed. The tubes and unused cotton are biodegradable and may be left in the application site.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage.

STORAGE: Store at room temperature.

DISPOSAL: If empty: Non- refillable container. Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal Instructions. Never place unused product down any indoor or outdoor drain.